## AMENDED APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	.ПП, 01 2003
Returned to applicant for correction	.ПП. 22 2003
Corrected application filed	SEP.17.2003
Map filed	SEP 19 2003 under 70169

+\*\*\*\*\*\*

The applicant Round Mountain Gold Corporation, Homestake Nevada Corporation, BaRGold Corporation dba Smoky Valley Common Operation hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

- 1. The source of the proposed appropriation is Underground
- 2. The amount of water applied for is 1.0 second feet.
- (a) If stored in reservoir give number of acre-feet mining, milling, domestic and dewatering
- 3. The water to be used for
- 4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kind of animals to be watered
  - (c) Other use (describe fully under No. 12, "Remarks")
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
- 5. The water is to be diverted from its source at the following point within the SE½ NE½ Section 32, T11N, R44E, M.D.B.&M., at a point from which the NW corner of Section 33 T11N, R44E, M.D.B.&M.bears North 12°44′47″ East a distance of 2322.33 feet.
- 6. Place of Usc refer to Exhibit A
- 7. Use will begin about January 1 and end about December 31 of each year.
- 8. Description of proposed works Drilled and case well, submersible pump and motor, distribution system to storage reservoir, and dewatering system.
- Estimated cost of works approximately \$125,000.00
- 10. Estimated time required to construct works 3 years
- 11. Estimated time required to complete the application of water to beneficial use 7 years

12. Remarks: A portion of the water developed from this source will be considered dewatered water, and a portion will be utilized for mining, milling and domestic purposes. The precise volumes of each use are unknown at this time. Current hydrologic data indicates that approximately 3200 acre feet will be utilized for consumptive purposes. The balance of water developed will be either reinjected, or disposed of in a manner acceptable to the State Engineer.

By s/Ross E. de Lipkau P.O. Box 2790 Reno, Nevada 89505

Compared sg/sam	ag/sam	
Protested		

## \*\*\*\*\*\*\*\* <u>APPROVAL OF STATE ENGINEER</u>

This is to certify that T have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued for diversion rate only and will allow the permittee to dewater the pit area.

It is understood that any water pumped as a result of the production and dewatering operation shall be used first by the permittee for mining, milling, heap leaching, drilling, construction, dust suppression, road watering, reclamation and other related mining uses within the described place of use on this permit, hereinafter referred to as mining and milling purposes.

Any water pumped and not used for mining and milling purposes shall be infiltrated back to the Big Smoky Valley Groundwater Basin, Northern Part (137B), or used to substitute for existing pumping in a manner to be later determined under applicable permits. The permittee shall discharge water in a manner to achieve maximum conservation of the water resource. It is understood that this right must allow for a reasonable lowering of the static water level. The permittee will prepare and submit a monitoring program that must be approved by the State Engineer, prior to the pumping of any water under this permit. The monitoring program must specify: (1) the sources to be measured (2) the background information already gathered (3) the method of measurement and (4) the projected frequency of measurement. The monitoring program must show what, if any, impacts the pumping of water for this project has on existing rights. The design of the infiltration site and the delivery system to the site or other substitutive discharge, shall be submitted to the State Engineer prior to any diversion of water from this source to the infiltration site. The State Engineer will retain the right to require additional monitoring of the water levels in monitor wells and the flow rates of surface sources.

(CONTINUED ON PAGE 3)

The permittee shall submit a report to the State Engineer by February 15th of each year detailing a water management plan. The management plan must include: (1) a summary of expected pumping for the year (2) a summary of the completed pumping and water level measurements for the previous year, and (3) an exact location of each well drilled or abandoned, and (4) any expected or proposed methods of disposal.

The permittee, on a schedule acceptable to Engineer, will prepare and present an update on the activities of the mine, the monitoring program and the water management plan on

a periodic basis, but not less than two times a year.

A monthly report shall be submitted to the State Engineer within 15 days after the end of each calendar quarter which shall include: (A) the volume of water pumped from each well, (B) the measurement pumping water level (drawdown) from each of production, dewatering and monitoring well, (C) the volume of water consumptively used for mining and milling uses projectwide, and (D) the amount of water discharged for infiltration. A method estimates the amount of evaporative losses from the discharge system shall be submitted with the monthly report. The evaporative losses will be considered as part of the combined duty for consumptive purposes.

This permit does not extend the permittee the right of

ingress and egress on public, private or corporate land.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from the State, rederal and local agencies and is specifically issued contingent upon approval by the Nevada Division of Environmental Protection of the dewatering project.

The State Engineer retains the right to impose future conditions as necessary upon review and evaluation of all data submitted. The State Engineer retains the right to regulate pumping from the dewatering project and/or any other groundwater withdrawals herein authorized to protect the public interest and existing rights. The total combined duty of water for consumptive purposes

under Permits 536; 1077, Certificate 267; 2908, Certificate 353; Certificate 3831; 12445 2347; 12442, Certificate Certificate 3832; 12768, Certificate 3751; 14119, Certificate 4889; 26650, Certificate 13904; 26652, Certificate 13905; 44297; 44299; 44300, Certificate 13174; 50971; 51577, Certificate 13185; 51578, Certificate 13186; 53365; 55498; 55500; 55501; 55502; 55503; 59217; 59218; 60874; 60875; 60876; 70169 through 70185, and any associated temporary changes of these rights, shall not exceed 13,910 Acre Feet Annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the

ground water basin.

Upon permanent cessation of all mining, milling and dewatering purposes, all water granted under the permit will revert back to the source from which it was appropriated, except for any water requirements needed for any mine closure plan and/or to mitigate any adverse effects caused by dewatering. (CONTINUED ON PAGE 4)

The state of the s

All of the above stated conditions are issued subject to having no adverse impacts on existing rights.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  $\underline{\textbf{1.0}}$  cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

October 12, 2006

Proof of completion of work shall be filed on or before: November 12, 2006

Water must be placed to beneficial use on or before: October 12, 2009

Proof of the application of water to beneficial use shall be filed on or before:  ${\color{red}November~12,~2009}$ 

Map in support of proof of beneficial use shall be filed on or before:  ${\bf N}/{\bf A}$ 

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office.

this 12th day of October, A.D. 2004 - .

State Engineer

Completion of work filed	
Proof of beneficial use filed	addings of
Cultural map filedN/A	
Cortificate No	Tagued

djl per telecon R. DeLipkau

•	,	E2 ·	25	11N	43E ·	MD	
Portion	NE	NW	25	11N	43E .	MD	
Portion	SE	NW	25	11N	43E	MD	1
Portion	NE	sw	25	· 11N	43E	MD	
	SE	SW	25	11N	:43E .`	MD	
Portion	<u> </u>	E2					
<b>-</b>			36.	11N	43E	MD	
Portion	NE	NW	36	11N	43E	MD	
Portion.	SE .	NW	36	11N	43E	MD	١.
Portion'	NE .	sw	36	11N	43E -	MD .	ļ
Portion	SE	SW	36	- 11N	43E	MD	
Portion	NE	NW	04	10N	44E	MD .	
Portion	38	NW	04	10N	44E	MD	L
.	W2	NW	04	10N	44É .	MD	
Portion	NE.	8W	04	10N	44E .	MD -	
· '	NW	sw	04	10N	44E	MD.	
Portion	S2	sw	04 .	10N,	44E	MD .	
	***************************************	N2	05 .	10N	44E	.MD	
	N2	S2	05	10N	44E	MD	
Portion	SE	SE	05	10N	44E	MD	
	SW	SE	05	10N	44E	MD	
Portion	SE.		05.	10N	44E	MD .	
Portion		SW	·	10N	44E	MD.	
Portion	SW	SW	05			MD	
•		NE	06	. 10N	44E · .		,
Portion		NW	06	10N	446	MD -, -	
'. <sup>*</sup>	N2	SE	06	10N·	44E	MD	;
Portion	SE	SE .	06	10N	44E	MD	
Portion	SW .	SE .	.06	10N	44E	MD	
	NE .	SW .	06	10N	44E	MD ·	:
Portion	NW .	SW	06	10N	44E	MD.	٠
Portion	SE	SW	06	, 10N	44E	MD:	
Portion	SW	SW	06	10N	44E	MD	-
	NE ·	NW	08	10N	44E -	MD.	
Portion	SE	NW	08	10N	44E	MD	
	NE .	SW	08	10N	44E · ·	MD	٠.
Portion	SE	SW	08	· 10N	44E	MD	
Portiòn -	~ <del>~</del>				44E ·	MD.	1
Portion	SW	SW	08	10N		MD	
Portion	NE ·	NW	17	10N		MD	
Portion	МW	NW	17	· /10N	44E -		
Portion	SW	NW .	17	10N	44E	MD	
·	NW .	SW	1.7	TON	44E	MD ,	ŗ
··· Portion	NE · ,	SE	.18	·10N	44E	MD	
Portion	W2 .	sw	27 ·	11N	44E .	MD	
- C	S2.	S2	28	11N.	44É	MD	
Portion	NE	SE	28	11N	44E	MD .	Ĺ
Portion	NW	SE.	28	11N	44E	MD	
Portion	NE	SW	28	11N	44E	MD	ĺ
Portion	NW	sw	28	11N	44E	MD	
. FOT CTO!!	W2	E2	29	11N	44E*	MD.	ŀ
Portion	NE	NE	29	11N:	44E	MD.	ſ
	SE	NE	29	11N	44E	MD	į
Portion		SE	29	11N	44E	MD	t
Portion	NE	<u> </u>		-11N	44E	MD	•
	SE	ŞE	29	<del></del>	44E	<del>}</del>	Í
	·	W2	29	. 11N		} ·	ľ
•			30	11N		MD	ł
	<u> </u>	E2	31	11N	44E	MD	į
	<u></u>	NW.	31	11N	44E	MD:	Į.
•	N2	SW	<u>  31                                   </u>	11N	44E	MD	ļ.
•	SE	SW	31	. 11N	44E	MD.	†
Portion	SW	SW	31	11N	44E	MD	ľ
			32	11N·	W. — — — — — — — — — — — — — — — — — — —	MD	į.
• • • • •		N2	33	11N	44E	MD	ľ
Portion	N2	52	33	11N	44E	MD	ŀ
Portion .	SW	SW	33	. 11N	44E	MD :	ľ
Portion	W2 .	NW.	34	110	44E	MD	ľ
Portion	NW	SW .	34	11N	44E	MD	{
FOLCTAN		<u> </u>	<u></u>	<del></del>		e*s	-

